

GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Services – RWS&S Dept– Allegations of non-commissioning of PWS Schemes in Jammikunta (M), Karimnagar District - Sri T.S. Prakash, the then Deputy Executive Engineer, RWS&S, Karimnagar now I/c EE, RWS&S, Mahabubnagar– Disciplinary proceedings under Rule 20 of Andhra Pradesh Civil Services (Classification, Control & Appeal) Rules, 1991 – Article of charges – Issued.

PANCHAYAT RAJ & RURAL DEVELOPMENT (VIG.IA) DEPARTMENT

G.O.Rt.No. 404

Dated:21.02.2014

ORDER:

It is proposed to hold an enquiry against Sri T.S. Prakash, the then Dy.EE, RWS&S, Karimnagar now I/c EE, RWS&S, Mahabubnagar, in accordance with the procedure laid down in Rule 20 of the Andhra Pradesh Civil Services (Classification, Control & Appeal) Rules, 1991.

2. The substance of the imputations of misconduct or misbehavior in respect of which the enquiry is proposed to be held is set out in the enclosed statement of article of charges (Annexure-I). A list of documents by which and a list of witnesses by whom, the article of charges are proposed to be sustained are also enclosed (Annexure-II and III).

3. Sri T.S. Prakash, the then Dy.EE, RWS&S, Karimnagar now I/c EE, RWS&S, Mahabubnagar, is directed to submit within ten (10) days of the receipt of this order, a written statement of his defence.

4. Sri T.S. Prakash, the then Dy.EE, RWS&S, Karimnagar now I/c EE, RWS&S, Mahabubnagar, is informed that an enquiry will be held only in respect of article of those charges as are not admitted. He should, therefore, specifically admit or deny article of charge.

5. Sri T.S. Prakash, the then Dy.EE, RWS&S, Karimnagar now I/c EE, RWS&S, Mahabubnagar, is further informed that if he does not submit his written statement of defence on or before the period specified in Para 3 above or otherwise fails or refuses to comply with the provisions of Rule 20 of Andhra Pradesh Civil Services (Classification, Control & Appeal) Rules, 1991 or the orders / directions issued in pursuance of the said rules, the Inquiring Authority may hold the inquiry against him ex-parte.

6. Sri T.S. Prakash, the then Dy.EE, RWS&S, Karimnagar now I/c EE, RWS&S, Mahabubnagar is invited to Rule 24 of the Andhra Pradesh Civil Services (Conduct) Rules, 1964, under which no Government Servant shall bring or attempt to bring any political or outside influence to bear upon any superior authority to further his interest in respect of matters pertaining to his service under the Government. If any representation is received on his behalf from another person in respect of any matter dealt within these proceedings, it will be presumed that Sri T.S. Prakash, the then Dy.EE, RWS&S, Karimnagar now I/c EE, RWS&S, Mahabubnagar, is aware of such a representation and that it has been made at his instance and action will be taken against him for violation of Rule-24 of the Andhra Pradesh Civil Services (Conduct) Rules, 1964.

7. The receipt of this G.O. shall be acknowledged.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

VIKAS RAJ
SECRETARY TO GOVERNMENT (RWS&S)

To

Sri T.S. Prakash, the then Dy.EE, RWS&S, Karimnagar now I/c EE, RWS&S, Mahabubnagar through the Engineer-in- Chief, RWS&S, Hyderabad.

(PTO)

::2::

The Engineer-in-Chief, RWS&S, Hyderabad.

(in duplicate with a request to serve and return the dated acknowledgement copy)

Copy to:

The PR&RD (Estt.I) Department.

SF/SC

//FORWARDED BY ORDER//

SECTION OFFICER

ANNEXURE-I

(Annexure to G.O.Rt.No. 404 , PR&RD (Vig.IA) Dept., dt.21.02.2014)

STATEMENT OF ARTICLE OF CHARGES AGAINST SRI T.S. PRAKASH, THE THEN DY.EE, RWS&S, KARIMNAGAR NOW I/C EE, RWS&S, MAHABUBNAGAR.

CHARGE:

That Sri T.S.Prakash, the then Dy.E.E RWS&S, Karimnagar now I/c EE has failed to select the source for the work "PWS Scheme at Bijigiri Shariff (v) of Jammikunta (M). Due to failure of the source, an amount of Rs.13.00 lakhs incurred on the scheme is wasteful.

BASIS:

The Chief Engineer, Vig&QC, RWS&S, Hyderabad in his Lr.No.AEE1/DEEIII/1254/Non Commissioning of Schemes/KNR, dt.13.2.2013 has reported that the scheme "PWS Scheme at Bijigiri Shariff (V) of Jammikunta(M)", the components like Infiltration well, Pumping Main and other items executed are not in use due to failure of source and the total expenditure Rs.13.00 lakhs(aprox) incurred on the above said items under various grants is merely wasteful expenditure. From this, it is evident that Sri T.S.Prakash, the then Dy.E.E now I/c E.E has shown gross negligence towards his Legitimate Duties and failed in Supervision which is in violation of Rule (3) of A.P.Civil Services (Conduct) Rules, 1964.

Hence the charge.

VIKAS RAJ
SECRETARY TO GOVERNMENT (RWS&S)

SECTION OFFICER

ANNEXURE-II

(Annexure to G.O.Rt.No. 404, PR&RD (Vig.IA) Dept., dt.21.02.2014)

LIST OF THE DOCUMENTS BY WHICH THE ARTICLE OF CHARGES ARE PROPOSED TO BE SUSTAINED AGAINST SRI T.S. PRAKASH, THE THEN DY.EE, RWS&S, KARIMNAGAR NOW I/C EE, RWS&S, MAHABUBNAGAR.

Lr.No.AEE1/DEEIII/1254/Non Commissioning of Schemes/KNR
dt.13.2.2013 of Chief Engineer, V&QC, RWS&S, Hyderabad.

VIKAS RAJ
SECRETARY TO GOVERNMENT (RWS&S)

SECTION OFFICER

ANNEXURE-III

(Annexure to G.O.Rt.No. 404 PR&RD (Vig.IA) Dept., dt.21.02.2014)

LIST OF WITNESSES BY WHOM THE ARTICLE OF CHARGE ARE PROPOSED TO BE SUSTAINED AGAINST SRI T.S. PRAKASH, THE THEN DY.EE, RWS&S, KARIMNAGAR NOW I/c EE, RWS&S, MAHABUBNAGAR.

- NIL -

VIKAS RAJ
SECRETARY TO GOVERNMENT (RWS&S)

SECTION OFFICER